SOLU COMBINING DESIGN & ENGINEERING

2022

SOLU

COMBINING DESIGN & ENGINEERING

Solu takes pride in Australian design and engineering excellence. We develop products which intergrate beautifully with the simplicity of contemporary home and office design. We are currently developing new designs which will continue to focus on elegant design with a strong use of metals.

Solu offer a range of metal legs and handles which integrate beautifully with the simplicity of contemporary home and office design.Set against the warmth of wood, glass reflections or colourful polyurethane surfaces, Solu will add to the finish of your furniture. Solu legs are engineered with a high load capacity and of course are also height adjustable.

Handle Free Solutions - Shadowline

A handle free solution with a dual purpose. Developed by Solu, a handle free solution that can be used as a support rail for cabinets. The patented Shadowline System is designed by Australians for the Australian Market and comes in 2 different sizes: (i) 42mm and (ii) 52mm.

The 42mm can be used under benchtops and was designed to replace your fixing rail and could easily fit over the top of your dishwasher with little (or no adjustment) to your cabinets, It is also small enough not to take up too much storage space in your cabinet and drawers.

The 52mm can be used between drawers and is designed so you can use one shadowline between two drawers and still have enough space to put your fingers in behind the drawer front to open them.

Introduced for 2020,
the Solu Shadowline range now includes the new L-shape profile
and provides the same level of quality the Solu Shadowline has always delivered.
Utilising Solu's unique patented clip system, all Shadowline profiles are available in six finishes:

Clear Anodised
Silver Brushed
Nickel Brushed
White Powdercoat
Black Powdercoat
Black Brushed

Handle Free Solutions - Finger Recess

Profile Handle Solutions

Floating Solutions



Adjustable Legs & Handles

INDEX

Handle Free Solutions 1

Aluminium Shadowl ines

Aluminium2×1Rail

Finger Recess

Aluminium Profile Handl es

Floating Solutions 2

Floating Shelf Supports

Floating Cabinet

Glass Shelf Brackets

Furniture Suppor ts 3

Cabinet Legs

Bench Top Suppor ts

Cabinet Base Frame

Furniture Handles 4

Stainless Steel Handl es

Zinc Alloy Handl es

Aluminium Handl es

Aluminium Glass Door And Edge Profiles 5

Aluminium Edge Profiles

Aluminium Glass Door Frames

Miscellaneous 6

Wardrobe Fittings

CD/DVD Racks

Drawer Runner

SOLU
COMBINING DESIGN & ENGINEERING





Shadowline Handle

silver brushed anodized

nickel brushed anodized

black brushed anodized

Clear anodized

white powder coated

black powder coated

42mm Shadowline L Shape Notch Details:

:

Cat No.	Length (mm)	Finish
2120. 38. 042	3700*	clear anodized
2120. 37. 042	3700*	silver brushed anodized
2120. 36. 042	3700*	black brushed anodized
2120. 35. 042	3700*	nickel brushed anodized
2120. 31. 042	3700*	white powder coated
2120. 30. 042	3700*	black powder coated



Edge banding Inc.

Packing: 4pcs

* Usable length 3630~3670mm











Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Shadowline Handle

silver brushed anodized

nickel brushed anodized

black brushed anodized

Clear anodized

white powder coated

black powder coated





52mm Shadowline L Shape Notch Details:

Cat No.	Length (mm)	Finish
2120. 38. 052	3700*	clear anodized
2120. 37. 052	3700*	silver brushed anodized
2120. 36. 052	3700*	black brushed anodized
2120. 35. 052	3700*	nickel brushed anodized
2120. 31. 052	3700*	white powder coated
2120. 30. 052	3700*	black powder coated



Edge banding Inc.

Packing: 6pcs

* Usable length 3630~3670mm











Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Shadowline L Shape End Caps

matt nickel
suitable for shadowline finish:
nickel brushed anodized

satin chrome
suitable for shadowline finish:
clear anodized & silver brushed anodized

white powder coated
suitable for shadowline finish:
white powder coated

black powder coated
suitable for shadowline finish:
black brushed anodized & black powder coated

42mm End Cap

zinc alloy;

Cat No.	Finish
2120. 45. 042	matt nickel
2120. 43. 042	satin chrome
2120. 41. 042	white powder coated
2120. 40. 042	black powder coated

Packing: 50pairs per carton





52mm End Cap

zinc alloy;

Cat No.	Finish
2120. 45. 052	matt nickel
2120. 43. 052	satin chrome
2120. 41. 052	white powder coated
2120. 40. 052	black powder coated

Packing: 50pairs per carton





Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING



Shadowline Handle Free Solutions

silver brushed anodized

nickel brushed anodized

black brushed anodized

Clear anodized

white powder coated

black powder coated

42mm Shadowline Notch Details



Edge banding Inc.



Edge banding Inc.



Cat No.	Length (mm)	Finish
2110. 38. 042	3700*	clear anodized
2110. 37. 042	3700*	silver brushed anodized
2110. 36. 042	3700*	black brushed anodized
2110. 35. 042	3700*	nickel brushed anodized
2110. 31. 042	3700*	white powder coated
2110. 30. 042	3700*	black powder coated

Packing : 1set

* Usable length 3630~3670mm



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Shadowline Handle

SOLU
COMBINING DESIGN & ENGINEERING

silver brushed anodized

nickel brushed anodized

black brushed anodized

Clear anodized

white powder coated

black powder coated



52mm Shadowline Notch Details:

:



Edge banding Inc.



Edge banding Inc.



Cat No.	Length (mm)	Finish
2110. 38. 052	3700*	clear anodized
2110. 37. 052	3700*	silver brushed anodized
2110. 36. 052	3700*	black brushed anodized
2110. 35. 052	3700*	nickel brushed anodized
2110. 31. 052	3700*	white powder coated
2110. 30. 052	3700*	black powder coated

Packing: 4pcs

*Usable length 3630~3670mm



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Shadowline End Caps

nickel-plated,matt
suitable for shadowline finish:
nickel brushed anodized

chrome-plated,matt
suitable for shadowline finish:
clear anodized & silver brushed anodized

white, powder coated
suitable for shadowline finish:
white powder coated

black powder coated
suitable for shadowline finish:
black brushed anodized & black powder coated

42mm End Cap

zinc alloy;

Cat No.	Finish
2110. 45. 042	nickel-plated,matt
2110. 43. 042	chrome-plated,matt
2110. 41. 042	white, powder coated
2110. 40. 042	black, powder coated

Packing: 100Pcs per carton





Cat No.	Finish
2110. 43. 142	satin chrome plated

Packing: 100Pcs per carton





Suitable for 42mm shadowlines

52mm End Cap

zinc alloy;

Cat No.	Finish
2110. 45. 052	nickel-plated,matt
2110. 43. 052	chrome-plated,matt
2110. 41. 052	white, powder coated
2110. 40. 052	black, powder coated

Packing: 50pairs per carton





Suitable for 52mm shadowlines

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Shadowline Clips



End Clip

steel, zinc-plated

Cat No.	2110.57.001

Packing: 100Pcs per carton



Top Clip

steel, zinc-plated

Cat No.	2110.57.002

Packing: 100Pcs per carton



External Corner Clip

zinc alloy, chrome-plated

Cat No.	2110.43.004

Packing: 50Pcs per carton



Internal Corner Clip

zinc alloy, chrome-plated

Cat No.	2110.43.003

Packing: 50Pcs per carton



Middle Clip

steel, zinc-plated

Cat No.	2110.57.005

Packing: 50Pcs per carton



Internal Corner Clip 135°

zinc alloy, chrome-plated

Cat No.	2110.43.011

Packing: 50Pcs per carton



Picture Frame Clip

zinc alloy, zinc-plated

Cat No.	2110.43.006

Packing: 50Pcs per carton



Saddle Bracket

steel, zinc-plated

Cat No.	2110.57.010

Packing: 50Pcs per carton



Side Clip

steel, zinc-plated

Cat No.	2110.57.009

Packing: 100Pcs per carton



Vanity Partition Bracket

steel, zinc-plated

Cat No.	2110.57.007

Packing: 100Pcs per carton

SOLU
COMBINING DESIGN & ENGINEERING









Picture Frame Clip





Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING



Aluminium 2x1 Rail

Aluminium 2x1 Rail



End Clip



Cat No.	Length (mm)	Finish
2380. 31. 042	3700*	white, powder coated
2380. 38. 042	3700*	clear anodized
2380. 39. 042	3700*	black anodized

Packing: 6pcs * Usable length 3630~3670mm

Fixing Method

Flat



Inverted







Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Aluminium 2x1 Rail Clips



Rail Top Clip A

steel, zinc-plated

Cat No.	2380.57.001

Packing: 100Pcs per carton



Rail Top Clip B

steel, zinc-plated

Cat No.	2380.57.002

Packing: 100Pcs per carton



Rail Corner Clip

steel, zinc-plated

Cat No.	2380.57.003

Packing: 100Pcs per carton



Rail End Clip

steel, zinc-plated

Cat No.	2380.57.004

Packing: 100Pcs per carton

Aluminium 2x1 Rail End Caps



zinc alloy;

Cat No.	Finish
2380. 47. 042	black plated
2380. 41. 042	white, powder coated
2380. 43. 042	chrome-plated,matt

Packing: 100Pcs per carton



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Router Bit





3. 2mm slot bit 1/4"Shank
32mm diameter with bearing

Cat No.	0140.15.032



3. 2mm slot bit 1/2"Shank
32mm diameter no bearing
for CNC

Cat No.	0141.00.032



Dimensional Data not binding.
We reserve the right to alter
specifications without notice.

Cabinet Finger Recess

16mm Cabinet Finger Recess





Cat No.	Length(mm)/Finish
2115. 31. 016	2500*/white powder coated
2115. 38. 016	2500*/clear anodized
2115. 39. 016	2500*/black anodized

Packing: 16Pcs per carton

White powder coated



Black anodized



Clear anodized

18mm Cabinet Finger Recess





Cat No.	Length(mm)/Finish
2115. 31. 018	2500*/white powder coated
2115. 38. 018	2500*/clear anodized
2115. 39. 018	2500*/black anodized

Packing: 16Pcs per carton

White powder coated



Black anodized

Clear anodized

* Usable length 2430~2470mm

Profile Handles

SOLU
COMBINING DESIGN & ENGINEERING

Slimline U Shape

aluminium, anodized

Cat No.	Length (mm)	Finish
2468. 39. 007	2500*	black
2468. 38. 007	2500*	clear

Packing: 30Pcs per carton







Slimline L Shape

aluminium, anodized

Cat No.	Length (mm)	Finish
2468. 39. 029	2500*	black
2468. 38. 029	2500*	clear

Packing: 20Pcs per carton







Slimline C Shape

aluminium, anodized

Cat No.	Length (mm)	Finish
2468. 39. 039	2500*	black
2468. 38. 039	2500*	clear

Packing: 10Pcs per carton







Router Bit



3. 2mm slot bit 1/4"Shank 45mm diameter with bearing

Cat No.	0140.15.045



3. 2mm slot bit 1/2"Shank 45mm diameter no bearing for CNC

Cat No.	0141.00.045





Slimline bit 1/2"Shank with bearing

Cat No.	0151.15.029



Slimline bit 1/2"Shank no bearing for CNC

Cat No.	0151.00.029



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

*Usable length 2430~2470mm

SOLU
COMBINING DESIGN & ENGINEERING

Profile Handles



16mm Board



16mm Board



18mm Board



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Thinline U Shape Mounted With Screws

aluminium, anodized

Cat No.	Length (mm)	Finish
2469. 39. 008	2500*	black anodized
2469. 38. 008	2500*	clear anodized

Packing: 20Pcs per carton





Thinline L Shape Mounted With Screws

aluminium, anodized

Cat No.	Length (mm)	Finish
2469. 39. 029	2500*	black anodized
2469. 38. 029	2500*	clear anodized

Packing: 20Pcs per carton





Thinline C Shape Mounted With Screws

aluminium, anodized

Cat No.	Length (mm)	Finish
2469. 39. 041	2500*	black anodized
2469. 38. 041	2500*	clear anodized

Packing: 10Pcs per carton





Router Bit



Slimline bit 1/2"Shank with bearing

Cat No.	0151.15.029



Slimline bit 1/2"Shank no bearing for CNC

Cat No.	0151.00.029

* Usable length 2430~2470mm

Profile Handles

SOLU
COMBINING DESIGN & ENGINEERING

Boldline U Shape

aluminium, anodized

Cat No.	Length (mm)	Finish
2460. 39. 010	2500*	black
2460. 38. 010	2500*	clear

Packing: 20Pcs per carton







Boldline L Shape

aluminium, anodized

Cat No.	Length (mm)	Finish
2460. 39. 031	2500*	black
2460. 38. 031	2500*	clear

Packing: 20Pcs per carton







Boldline C Shape

aluminium, anodized

Cat No.	Length (mm)	Finish
2460. 39. 044	2500*	black
2460. 38. 044	2500*	clear

Packing: 10Pcs per carton









Router Bit

3. 2mm slot bit 1/4"Shank
32mm diameter with bearing

Cat No.	0140.15.032



Router Bit

3. 2mm slot bit 1/2"Shank
32mm diameter no bearing for CNC

Cat No.	0141.00.032



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

* Usable length 2430~2470mm

SOLU
COMBINING DESIGN & ENGINEERING

Profile Handles

16mm Board





18mm Board





Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Lamiline L Shape Mounted With Screws

aluminium, anodized

Cat No.	Length (mm)	Finish
2462. 39. 032	2500*	black anodized
2462. 38. 032	2500*	clear anodized

Packing: 20Pcs per carton

* **Recommended laminate strip width: 29mm**





* Usable length 2430~2470mm

Profile Handles

SOLU
COMBINING DESIGN & ENGINEERING

Broadline G Shape For 18mm board

aluminium, anodized

Cat No.	Length(mm)	Finish
2463. 39. 018	2500*	black
2463. 38. 018	2500*	clear

Packing: 6Pcs per carton







Broadline G Shape For 16mm board

aluminium, anodized

Cat No.	Length(mm)	Finish
2472. 39. 016	2500*	black
2472. 38. 016	2500*	clear

Packing: 6Pcs per carton





Broadline G Shape For 16mm board, Mounted With Screws

aluminium, anodized

Cat No.	Length(mm)	Finish
2474. 39. 016	2500*	black
2474. 38. 016	2500*	clear

Packing: 10Pcs per carton









Router Bit

3. 2mm slot bit 1/4"Shank
32mm diameter with bearing

Cat No.	0140.15.032



Router Bit

3. 2mm slot bit 1/2"Shank
32mm diameter no bearing for CNC

Cat No.	0141.00.032

* Usable length 2430~2470mm

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Recessed Handle



Handle profile: clear, anodized
End cap: zinc alloy, satin chrome

Cat No.	Size A×D	Size C
3411. 38. 190	189×36	183

Extrusion Handle Profile



aluminium,clear, anodised

Cat No.	Length
3411.38.001	2500*

* Usable length 2430~2470mm

End Cap



zinc alloy, chrome-plated,matt

Cat No.	3411.43.002

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Floating Shelf Supports

SOLU
COMBINING DESIGN & ENGINEERING



step 1



step 2



step 3



Application Specs And Features:

shelf thickness: 50mm Recommended

shelf depth: 250–300mm Recommended.

Load capacity: 12. 5Kg/Arm (evenly distributed load across arm length)





Track

aluminium,clear, anodised

Cat No.	Length (mm)
8160. 38. 042	2500*



Arm Block

Zinc alloy: nickel_plated; Stainless steel, matt brush.

Cat No.	Unit
8160. 37. 190	pcs



Track End Cap

Zinc alloy: chrome-plated, matt.

Cat No.	Unit
8160. 43. 001	pair



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

* Usable length 2430~2470mm

SOLU
COMBINING DESIGN & ENGINEERING

Floating Shelf Support

Shelf Support



steel, galvanized
shelf depth: max. 300mm
distance between shelf supports: max 700mm

Cat No.	8122. 57. 105

Packing: 50pcs per carton

Fixing Method



Shelf Support



steel, galvanized
shelf depth: max. 300mm
distance between shelf supports: max 550mm

Cat No.	8122. 57. 145

Packing: 50pcs per carton

Fixing Method



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Floating Shelf Supports

SOLU
COMBINING DESIGN & ENGINEERING

Shelf Support

steel, galvanized
shelf depth: max. 300mm
distance between shelf supports: max 700mm

Cat No.	8121. 57. 112

Packing: 50pcs per carton



Fixing Method



Shelf Support

steel, galvanized
shelf depth: max. 300mm
distance between shelf supports: max 550mm

Cat No.	8121. 57. 150

Packing: 50pcs per carton



Fixing Method



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Floating Shelf Supports

Glass Shelf Bracket

zinc alloy, nickel-plated
glass shelf depth: max. 250mm
distance between shelf supports: max 550mm

Cat No.	8135. 46. 040

Packing: 20set per carton



Glass Shelf Bracket

zinc alloy, nickel-plated
glass shelf depth: max. 250mm
distance between shelf supports: max 550mm

Cat No.	8136. 46. 050

Packing: 20set per carton



Shelf Bracket

zinc alloy, nickel-plated
glass shelf depth: max. 3000mm
distance between shelf supports: max 700mm

Cat No.	8137. 46. 085

Packing: 10set per carton



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Floating Cabinet Supporter Kit

SOLU
COMBINING DESIGN & ENGINEERING

FC Supporter



aluminium,clear, anodised

Cat No.	Length (mm)
8160. 38. 050	4200*



Packing: 1set

Load capacity: Max: 50Kg/M

Note: Additional clips and cap can be ordered separately.

Fixing Method

Aluminium 2×1 Rail

2381. 38. 360

Page: 1. 05



Aluminium L Rail

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Cabinet Legs

SOLU
COMBINING DESIGN & ENGINEERING

Adjustable Leg



Fixing plate: zinc alloy, chrome-plated
Tube: stainless steel
Glide: plastic, black

Cat No. matt brushed	Cat No. mirror polished	Height	Adjustable Range
1120.22.080	1120.25.080	80	-5 +10
1120.22.100	1120.25.100	100	-5 +10
1120.22.120	1120.25.120	120	-5 +10
1120.22.150	1120.25.150	150	-5 +10
1120.22.200	1120.25.200	200	-5 +10
1120.22.250	1120.25.250	250	-5 +10
1120.22.300	1120.25.300	300	-5 +10

Packing: 1 and 20 pieces

Adjustable Leg



Fixing plate: zinc alloy, chrome-plated
Tube: stainless steel
Glide: plastic, black

Cat No. matt brushed	Cat No. mirror polished	Height	Adjustable Range
1121.22.080	1121.25.080	80	-5 +10
1121.22.100	1121.25.100	100	-5 +10
1121.22.120	1121.25.120	120	-5 +10
1121.22.150	1121.25.150	150	-5 +10
1121.22.200	1121.25.200	200	-5 +10
1121.22.250	1121.25.250	250	-5 +10
1121.22.300	1121.25.300	300	-5 +10

Packing: 1 and 20 pieces

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Cabinet Legs

Adjustable Leg

Fixing plate: zinc alloy,
Tube: aluminium, clear anodized
Glide: lastic, black



Cat No.	Height	Adjustable Range
1122.38.050	52	-5 +10
1122.38.080	80	-5 +10
1122.38.100	100	-5 +10
1122.38.120	120	-5 +10
1122.38.150	150	-5 +10
1122.38.200	200	-5 +10
1122.38.300	300	-5 +10

Packing: 1 and 20 pieces

Adjustable Leg

Fixing plate: zinc alloy,
Tube: aluminium, clear anodized
Glide: plastic, black



Cat No.	Height	Adjustable Range
1123.38.050	52	-5 +10
1123.38.080	80	-5 +10
1123.38.100	100	-5 +10
1123.38.120	120	-5 +10
1123.38.150	150	-5 +10
1123.38.200	200	-5 +10
1123.38.300	300	-5 +10

Packing: 1 and 20 pieces

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Cabinet Legs

SOLU
COMBINING DESIGN & ENGINEERING

Adjustable Leg



Fixing plate: zinc alloy,
Tube: aluminium, black anodized
Glide: lastic, black

Cat No.	Height	Adjustable Range
1122.30.050	52	-5 +10
1122.30.080	80	-5 +10
1122.30.100	100	-5 +10
1120.30.120	120	-5 +10
1122.30.150	150	-5 +10

Packing: 1 and 20 pieces

Adjustable Leg



Fixing plate: zinc alloy,
Tube: aluminium, black anodized
Glide: plastic, black

Cat No.	Height	Adjustable Range
1123.30.050	52	-5 +10
1123.30.080	80	-5 +10
1123.30.100	100	-5 +10
1123.30.120	120	-5 +10
1123.30.150	150	-5 +10

Packing: 1 and 20 pieces

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Cabinet Legs

Adjustable Leg

Fixing plate: zinc alloy, chrome-plated,matt
Tube: aluminium, silver colour, anodized
Foot: zinc alloy, satin chrome

Cat No.	Height	Adjustable Range
1124.38.080	80	-10 +10
1124.38.100	100	-10 +10
1124.38.120	120	-10 +10
1124.38.150	150	-10 +10
1124.38.200	200	-10 +10
1124.38.300	300	-10 +10
1124.38.720	720	-10 +10

Packing: 1 and 8 pieces



Adjustable Leg

Fixing plate: zinc alloy, chrome-plated,matt
Tube: aluminium, silver colour, anodized
Glide: plastic, black

Cat No.	Height	Adjustable Range
1126.38.080	80	-10 +10
1126.38.100	100	-10 +10
1126.38.120	120	-10 +10
1126.38.150	150	-10 +10
1126.38.300	300	-10 +10

Packing: 1 and 20 pieces



Cabinet Legs

Adjustable Leg

Fixing plate: zinc alloy, chrome-plated,matt
Tube: aluminium, silver colour, anodized
Foot: zinc alloy, satin chrome

Cat No.	Height	Adjustable Range
1125.38.120	120	-10 +10
1125.38.150	150	-10 +10

Packing: 1 and 20 pieces



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Cabinet Legs



aluminium, silver colour, anodized

Cat No.	1127. 38. 096

Packing: 1 and 20 pieces



aluminium, silver colour, anodized

Cat No.	1128. 38. 096

Packing: 1 and 20 pieces



Fixing plate: zinc alloy, chrome-plated
Tube: stainless steel, black powder coated
Foot: black plastic

Cat No.	Height	Adjustable Range
1135. 50. 065	65	+15

Packing: 1 and 20 pieces

SOLU
COMBINING DESIGN & ENGINEERING

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Bench Top Supports

SOLU
COMBINING DESIGN & ENGINEERING

Fixing plate: plastic, grey
Tube: stainless steel, matt brushed
Foot: zinc ally

Cat No.	Height	Adjustable Range
1303.22.880	880	-10 +10

Packing: 1 piece



Fixing plate: stainless steel, polished
Tube: stainless steel, matt brushed
Foot: stainless steel, polished

Cat No.	Height	Adjustable Range
1301.22.880	880	-10 +10

Packing: 1 piece





Fixing plate: stainless steel, polished
Tube: stainless steel, matt brushed
Foot: stainless steel, polished

Cat No.	Height	Adjustable Range
1302.22.880	880	-10 +10

Packing: 1 piece





Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Cabinet Frame







Aluminium Section

silver colour, anodized

Cat No.	Length (mm)
1260.38.038	2500*

* Usable length 2430~2470mm

Adjustable Leg

Tuble: aluminium, silver anodized
Foot: zinc alloy, chrome-plated,matt

Cat No.	Height	Adjustable Range
1260.38.300	262	-10 +10

Packing: 1 and 20 pieces



Corner Connector

zinc alloy, chrome-plated,matt

Cat No.	1260.43.001

Packing: 1 and 4 pieces



Middle Connector

zinc alloy, chrome-plated,matt

Cat No.	1260. 43. 002

Packing: 1 and 4 pieces

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Stainless Steel Handles

SOLU
COMBINING DESIGN & ENGINEERING

matt brushed



Cat No.	Size A×B	Size C
3201. 22. 160	182×28	160
3201. 22. 192	214×28	192
3201. 22. 288	310×28	288
3201. 22. 352	374×28	352
3201. 22. 448	470×28	448

Packing: 1 and 50 pieces

matt brushed



Cat No.	Size A×B	Size C
3202. 22. 192	200×28	192
3202. 22. 288	296×28	288
3202. 22. 352	360×28	352

Packing: 1 and 25 pieces



matt brushed

Cat No.	Size A×B
3261. 22. 018	18×25
3261. 22. 022	22×26

Packing: 1 and 100 pieces.



matt brushed

Cat No.	Size A×B
3262. 22. 020	20×24
3262. 22. 024	24×29

Packing: 1 and 100 pieces.

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Stainless Steel Handles



matt brushed

Cat No.	Size A×B	Size C
3235. 22. 064	74×35	64
3235. 22. 096	106×35	96
3235. 22. 128	138×40	128
3235. 22. 160	170×40	160
3235. 22. 192	202×40	192
3235. 22. 288	298×40	288
3235. 22. 352	362×40	352
3235. 22. 448	458×40	448
3235. 22. 544	554×40	544

Packing: 1 and 25 pieces



matt brushed

Cat No.	Size A×B	Size C
3237. 22. 064	74×28	64
3237. 22. 096	114×32	96
3237. 22. 128	156×34	128
3237. 22. 160	195×34	160
3237. 22. 192	229×37	192
3237. 22. 288	332×42	288
3237. 22. 352	414×42	352
3237. 22. 448	504×50	448

Packing: 1 and 25 pieces.

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Stainless Steel Handles

SOLU
COMBINING DESIGN & ENGINEERING

matt brushed



Cat No.	Size A×B	Size C
3230. 22. 096	136×35	96
3230. 22. 128	168×35	128
3230. 22. 160	200×35	160
3230. 22. 192	232×35	192
3230. 22. 288	328×35	288
3230. 22. 352	392×35	352
3230. 22. 448	488×35	448
3230. 22. 544	584×35	544

Packing: 1and 25 pieces.

matt brushed



Cat No.	Size A×B	Size C
3231. 22. 096	136×35	96
3231. 22. 128	168×35	128
3231. 22. 160	200×35	160
3231. 22. 192	232×35	192
3231. 22. 288	328×35	288
3231. 22. 352	392×35	352
3231. 22. 448	488×35	448
2331. 22. 544	584×35	544
3231. 22. 640	680×35	640
3231. 22. 736	776×35	736

Packing: 1and 25 pieces.

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Zinc Alloy Handles

zinc alloy, brushed

Cat No.	Size A×B	Size C
3301. 42. 192	225×26	192

Packing: 1 and 25 pieces



zinc alloy, brushed

Cat No.	Size A×B	Size C
3302. 42. 096	124×28	96
3302. 42. 128	156×28	128
3302. 42. 160	188×28	160
3302. 42. 192	220×28	192
3302. 42. 256	284×28	256

Packing: 1 and 25 pieces



Base: zinc alloy, matt brushed
Pull: stainless steel, matt brushed

Cat No.	Size A×B	Size C
3303. 42. 128	148×33	128
3303. 42. 320	340×33	320

Packing: 1 and 25 pieces



zinc alloy, chrome-plated, matt

Cat No.	Size A×B	Size C
3305. 43. 096	114×28	96
3305. 43. 128	148×30	128

zinc alloy, chrome-plated, polished

Cat No.	Size A×B	Size C
3305. 44. 096	114×28	96
3305. 44. 128	148×30	128

Packing: 1 and 25 pieces



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Aluminium Handles

SOLU
COMBINING DESIGN & ENGINEERING



aluminium, sand blasted, anodized

Cat No.	Size A×B	Size C
3410. 39. 128	148×36	128
3410. 39. 160	180×36	160
3410. 39. 192	212×36	192
3410. 39. 288	308×36	288
3410. 39. 352	372×36	352
3410. 39. 448	468×36	448
3410. 39. 544	564×36	544
3410. 39. 640	660×36	640
3410. 39. 736	756×36	736

Packing: 1 and 25 pieces



Handle profile: silver colour, anodized
End cap: zinc alloy, satin chrome

Cat No.	Size A×D	Size C
3411. 38. 190	189×36	183

Extrusion Handle Profile



aluminium,clear, anodised

Cat No.	Length
3411.38.001	2500*

* Usable length 2430~2470mm

End Cap



zinc alloy, chrome-plated,matt

Cat No.	3411.43.002

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Aluminium Edge Profiles

Router Bit





3. 2mm slot bit 1/4"Shank
32mm diameter with bearing

Cat No.	0140.15.032



3. 2mm slot bit 1/2"Shank
32mm diameter no bearing
for CNC

Cat No.	0141.00.032

3mm Wrapped Edge For 16mm Board

aluminium anodized

Cat No.	Length (mm)	Finish
4131. 39. 016	2500*	black
4131. 38. 016	2500*	clear
4131. 38. 016. 30	3000	clear





6mm Wrapped Edge For 16mm Board

aluminium anodized

Cat No.	Length (mm)	Finish
4132. 39. 016	2500*	black
4132. 38. 016	2500*	clear
4132. 38. 016. 30	3000	clear





3mm Flush Edge For 16mm Board

aluminium anodized

Cat No.	Length (mm)	Finish
4268. 39. 016	2500*	black
4268. 38. 016	2500*	clear





2mm Flush Edge For 18mm Board

aluminium anodized

Cat No.	Length (mm)	Finish
4268. 39. 018	2500*	black
4268. 38. 018	2500*	clear
4268. 38. 018. 30	3000	clear





* Usable length 2430~2470mm

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Aluminium Edge Profiles

SOLU
COMBINING DESIGN & ENGINEERING

3mm Wrapped Edge For 19mm Board





aluminium anodized

Cat No.	Length (mm)	Finish
4131. 39. 019	2500*	black
4131. 38. 019	2500*	clear
4131. 38. 019. 30	3000	clear

2mm Flush Edge For 19mm Board





aluminium anodized

Cat No.	Length (mm)	Finish
4268. 39. 019	2500*	black
4268. 38. 019	2500*	clear

3mm Flush Edge For 25mm Board





aluminium anodized

Cat No.	Length (mm)	Finish
4268. 39. 025	3700*	black
4268. 38. 025	3700*	clear

25mm Edge Corner





zinc alloy, plated

Cat No.	R	Finish
4268.39.001	0	black
4268.43.002	0	satin chrome
4268.39.002	3	black
4268.43.002	3	satin chrome

* Usable length 2430~2470mm ** Usable length 3630~3670mm

Router Bit





3. 2mm slot bit 1/4"Shank
32mm diameter with bearing

Cat No.	0140.15.032



3. 2mm slot bit 1/2"Shank
32mm diameter no bearing
for CNC

Cat No.	0141.00.032



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

19mm Aluminium Frame Door Profile



Glass Door Frame



silver colour, anodized
use 4mm glass only

Cat No.	Length(mm)
8202. 38. 045	2400*



Packing: 6pcs per carton * Usable length 3030~3070mm



Glass Door Frame



with handle, use to up-flap door
suit to 8202. 38. 045

silver colour, anodized
use 4mm glass only

Cat No.	Length(mm)
8202. 38. 069	3100*



Packing: 6pcs per carton * Usable length 3030~3070mm

Sealing Stripe



plastic for glass

Cat No.	8202. 80. 002

Fixing Plate

steel, zinc-plated

Cat No.	8200. 57. 001

Fixing Method:







Screw: M4x8

Cat No.
8200.57.003

Note: glass edge needs to be chamfered



Flap Hinge Mounting Block

nylon, black

Cat No.	8202. 80. 003







Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Soft Down Stay

SOLU
COMBINING DESIGN & ENGINEERING

Soft Down Stay

for use with downward-opening flaps, flap 90°
zinc alloy, steel, bright nickel

Cat No.	Direction
8321. 46. 001	left
8321. 46. 002	right

Packing: 1 and 20 pieces





	A	B	C	D
Drop Hinge	97	106-S	122-S	211-S
Single Knuckle Hinge	90	99	115	204

note: "s" dimension is the overlay distance for drop hinge(s)

Fixing Method:



Step 1



Step 2



Step 3

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

Flap Hinge

Hinge For Flap Doors

zinc alloy, nickel-plated

Cat No.	8410. 46. 035

Packing: 1 and 250 pieces

Fixing Method









Dimensional Data not binding.
We reserve the right to alter specifications without notice.

Wardrobe Fittings

SOLU
COMBINING DESIGN & ENGINEERING

Oval Wardrobe Rail





aluminium, silver colour, anodized

Cat No.	Length (mm)
8101. 38. 015	3100*

* Usable length 3030~3070mm

Wardrobe Rail Support



zinc alloy, nickel-plated

Cat No.	8101. 46. 001

Packing: 1 and 50 pieces

Wardrobe Rail Centre Support



zinc alloy, nickel-plated

Cat No.	8101. 46. 002

Packing: 1 and 50 pieces

Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

CD/DVD Racks For Drawers

CD Rack



aluminium, silver colour, anodized



Cat No.	Length (mm)
8108. 38. 118	2500*

Packing: 4pcs per carton

DVD Rack



aluminium, silver colour, anodized



Cat No.	Length (mm)
8109. 38. 123	2500*

Packing: 4pcs per carton







Dimensional Data not binding.
We reserve the right to alter specifications without notice.

* Usable length 2430~2470mm

SOLU
COMBINING DESIGN & ENGINEERING

Drawer Runner

Full Extension Ball Cage Runner

steel, galvanized bright

Cat No.	Length
8521. 57. 250	250
8521. 57. 300	300
8521. 57. 350	350
8521. 57. 400	400
8521. 57. 450	450
8521. 57. 500	500
8521. 57. 550	550
8521. 57. 600	600



Packing: 15 pairs per carton



Dimensional Data not binding.
We reserve the right to alter specifications without notice.

SOLU
COMBINING DESIGN & ENGINEERING

CD/DVD Racks For Drawers

CD Rack



aluminium, silver colour, anodized



Cat No.	Length (mm)
8108. 38. 118	2500*

Packing: 4pcs per carton

DVD Rack



aluminium, silver colour, anodized



Cat No.	Length (mm)
8109. 38. 123	2500*

Packing: 4pcs per carton







Dimensional Data not binding.
We reserve the right to alter specifications without notice.

* Usable length 2430~2470mm

Solu (Austrlia) Pty Ltd
02 9519 4618
sales@solu.com.au
www.solu.com.au

SOLU COMBINING DESIGN & ENGINEERING